— ABLYBIO, Help Your Research

RLIM Rabbit pAb

货号: AYP18181

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	**WB:** 1:500 - 1:2000
理论分子量	52kDa/68kDa
实测分子量	75kDa
形式	Liquid
保存条件	Store at -20℃. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Raji,Mouse brain
细胞定位	Nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 535-624 of human RLIM (NP_057204.2).

靶点信息

研究背景	The protein encoded by this gene is a RING-H2 zinc finger protein. It has been shown to be an E3 ubiquitin protein ligase that targets LIM domain binding 1 (LDB1/CLIM), and causes proteasome-dependent degradation of LDB1. This protein and LDB1 are co-repressors of LHX1/LIM-1, a homeodomain transcription factor. Multiple alternatively spliced variants, encoding the same protein, have been identified.
基因ID	51132
基因名	RLIM
Swiss	Q9NVW2 (https://www.uniprot.org/uniprotkb/Q9NVW2/entry)
别名	RLIM,MRX61,NY-REN-43,RNF12,RLIM Rabbit pAb,LIM domain-interacting RING finger protein,RING finger LIM domain-binding protein,RING finger protein 12,RING-type E3 ubiquitin transferase RLIM,Renal carcinoma antigen NY-REN-43

产品验证



Western blot analysis of RLIM expressed in Raji,Mouse brain using RLIM Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (https://www.ablybio.cn//www.ablybio.cn)