

# ZNF638 Rabbit pAb

货号: **AYP18199**

## 产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	92kDa/119kDa/128kDa/218kDa/220kDa
实测分子量	140kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain
细胞定位	Nucleus speckle
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-300 of human ZNF638 (NP_001239542.1).
序列	MSRPRFNPRGDFPLQRPRAPNPSGMRPPGPFMRPGSMGLPRFYFYPAGRARGIPHRFAGHESYQNMGPQRMNVQVTQHR TDPRLTKEKLDHFHEAQKKGKPHGSRWDDEPHISASVAVKQSSVTQVTEQSPKVQSRYTEKESASSILASFGLSNEDLEEL SRYPDEQLTPENMPLILRDIRMRKMGRRLPNLPSQSRNKETLGSEAVSSNVIDYGHASKYGYTEDPLEVRIYDPEIPTDEVE NEFQSQQNISASVNPVNICNSMFPVEDVFRQMDFFGESSNRSFFSVESGTKMSGLHISG

## 靶点信息

研究背景	The protein encoded by this gene is a nucleoplasmic protein. It binds cytidine-rich sequences in double-stranded DNA. This protein has three types of domains: MH1, MH2 (repeated three times) and MH3. It is associated with packaging, transferring, or processing transcripts. Multiple alternatively spliced transcript variants have been found for this gene, but the biological validity of some variants has not been determined.
------	---

基因ID	27332
基因名	ZNF638
Swiss	Q14966
别名	ZNF638;NP220;ZFML;Zfp638

## 产品验证



Western blot analysis of ZNF638 expressed in Mouse brain using ZNF638 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)