

— ABLYBIO, Help Your Research



# CHST2 Rabbit pAb

货号: **AYP18248**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	52kDa/57kDa
实测分子量	60kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	U-251MG
细胞定位	Golgi apparatus, Single-pass type II membrane protein, trans-Golgi network membrane
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 231-530 of human CHST 2 (NP_004258.2).
------	--

## 靶点信息

研究背景	This locus encodes a sulfotransferase protein. The encoded enzyme catalyzes the sulfation of a nonreducing N-acetylglucosamine residue, and may play a role in biosynthesis of 6-sulfosialyl Lewis X antigen.
------	---

基因ID	9435
基因名	CHST2
Swiss	Q9Y4C5 ( <a href="https://www.uniprot.org/uniprotkb/Q9Y4C5/entry">https://www.uniprot.org/uniprotkb/Q9Y4C5/entry</a> )
别名	CHST2,C6ST,GST-2,GST2,Gn6ST-1,HEL-S-75,glcNAc6ST-1,CHST2 Rabbit pAb,Galactose/N-acetylglucosamine/N-acetylglucosamine 6-O-sulfotransferase 2,N-acetylglucosamine 6-O-sulfotransferase 1,GN6ST

## 产品验证



Western blot analysis of CHST2 expressed in U-251MG using CHST2 Rabbit pAb at 1:1000. Secondary anti body: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)