

— ABLYBIO, Help Your Research



# SNAPC1 Rabbit pAb

货号: **AYP18271**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	42kDa
实测分子量	50-55kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	A-431,U-87MG,Rat brain
细胞定位	Nucleus
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-368 of human SNAPC 1 (NP_003073.1).
------	---

## 靶点信息

研究背景	Part of the SNAPc complex required for the transcription of both RNA polymerase II and III small-nuclear RNA genes. Binds to the proximal sequence element (PSE, a non-TATA-box basal promoter element common to these 2 types of genes. Recruits TBP and BRF2 to the U6 snRNA TATA box.
基因ID	6617
基因名	SNAPC1
Swiss	Q16533 ( <a href="https://www.uniprot.org/uniprotkb/Q16533/entry">https://www.uniprot.org/uniprotkb/Q16533/entry</a> )
别名	SNAPC1,PTFgamma,SNAP43,SNAPC1 Rabbit pAb,Proximal sequence element-binding transcription factor subunit gamma,Small nuclear RNA-activating complex polypeptide 1,snRNA-activating protein complex 4 3 kDa subunit

## 产品验证



Western blot analysis of SNAPC1 expressed in A-431,U-87MG,Rat brain using SNAPC1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)