

DDX51 Rabbit pAb

货号: **AYP18329**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:200 - 1:2000
理论分子量	72kDa
实测分子量	72kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HT-29,Jurkat,Mouse brain,Mouse spleen,Rat testis
细胞定位	Nucleus,nucleolus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 367-666 of human DDX 51 (NP_778236.2).
序列	FLIIDEADRMIDSMHQSWLPRVVAAAFQSEDPADPCALLQRRQAQAVTAASTCCPQMPLQKLLFSATLTQNPEKLQQLGL HQPRLFSTGLAHRGLEDDGDDGDSGKYAFPVGLTHHYVPCSLSSKPLVVLHLVLEMGFSRVLCFTNSRENSHRLFLVQA FGGVDVAEFSSRYGPGQRRMILKQFEQGIQLLISTDATARGIDVQGVELVVNYDAPQYLRTYVHRVGR TARAGKTGQAF TLLLKVQERRFLRMLTEAGAPELQRHELSSKLLQPLVPRYEEALSQLEESVKEERKQRAA

靶点信息

研究背景	ATP-binding RNA helicase involved in the biogenesis of 60S ribosomal subunits.
基因ID	317781
基因名	DDX51

Swiss	Q8N8A6
别名	DDX51

产品验证



Western blot analysis of DDX51 expressed in Mouse brain,Rat testis,HT-29 using DDX51 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn