

ADGRA3 Rabbit pAb

货号: **AYP18332**

产品信息

反应	Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:200 - 1:2000
理论分子量	42kDa/68kDa/131kDa/146kDa
实测分子量	146kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse liver
细胞定位	Membrane,Multi-pass membrane protein
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 370-600 of human ADG RA3 (NP_660333.2).
序列	ITAYLQCTRNTHGSGIYPGNPQDERKAWRRCDRGGFWADDDYSRCQYANDVTRVLYMFMNQPLNLTNAVATARQLLAY TVEAANFSDKMDVIFVAEMIEKFGRFTKEEKSKELGDMVVDIASNIMLADERVLWLAQREAKACSRIVQCLQRIATYRLAG GAHVYSTYSPNIALEAYVIKSTGFTGMTCTVFQKVAASDRTGLSDYGRRDPEGNLKQLSFKCNVSNTFSSL

靶点信息

研究背景	This gene encodes a member of the G protein-coupled receptor superfamily. This membrane protein may play a role in tumor angiogenesis through its interaction with the human homolog of the Drosophila disc large tumor suppressor gene. This gene is mapped to a candidate region of chromosome 4 which may be associated with bipolar disorder and schizophrenia.
基因ID	166647

基因名	ADGRA3
Swiss	Q8IWK6
别名	ADGRA3;GPR125;PGR21;TEM5L

产品验证



Western blot analysis of ADGRA3 expressed in Mouse liver using ADGRA3 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5 % non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn