

FOXR2 Rabbit pAb

货号: **AYP18337**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:200 - 1:2000
理论分子量	35kDa
实测分子量	36kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Raji,Mouse brain,Rat brain
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-311 of human FOXR2 (NP_940853.1).
序列	MDLKLKDBCFWYSLHGQVPGLLDWDMRNEFLPCTTDQCSLAEQILAKYRVGVMKPPEMPQRRRPSPDGDGPPCEPNL WMWVDPNLCPLGSQEAPKPSGKEDLTNISPFPPQPPQKDEGSNCSEDKVVESLPSSSEQSPLQKQGIHSPSDFELTEEE AEEPDDNSLQSPMKCYQSQKLWQINNQEKSQRPLNCSHLIALALRNNPHCGLSVQEIYNFTRQHFFFWTAPDGWK STIHYNLCFLDSFEKVPDSLKDEDNARPRSLWKLKEGHRRFWEETRVLAFAQRERIEQCMSQPELLTSLFDL

靶点信息

研究背景	Enables sequence-specific double-stranded DNA binding activity. Predicted to be involved in regulation of transcription by RNA polymerase II. Located in nucleoplasm.
基因ID	139628

基因名	FOXR2
Swiss	Q6PJQ5
别名	FOXR2;FOXN6

产品验证



Western blot analysis of FOXR2 expressed in Raji, Mouse brain, Rat brain using FOXR2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn