

# BAALC Rabbit pAb

货号: AYP18375

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:200 - 1:2000
理论分子量	5kDa/7kDa/8kDa/15kDa/19kDa
实测分子量	19kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain,Mouse skeletal muscle,Rat brain,Rat skeletal muscle
细胞定位	Cytoplasm,Membrane
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-145 of human BAALC (NP_079088.1).
序列	MGCGGSRADAIEPRYYESWTRETSTWLTYTDS DAPPSAAAPDSGPEAGGLHSGMLEDGLPSNGVPRSTAPGGIPNPEK KTCNCETQCPNPQSLSSGPLTQKQNGLQTTEAKRDAKRMPAKEVTINVTDSIQQMDSRRITKNCVN

## 靶点信息

研究背景	This gene was identified by gene expression studies in patients with acute myeloid leukemia (AML). The gene is conserved among mammals and is not found in lower organisms. Tissues that express this gene develop from the neuroectoderm. Multiple alternatively spliced transcript variants that encode different proteins have been described for this gene; however, some of the transcript variants are found only in AML cell lines.
基因ID	79870

基因名	BAALC
Swiss	Q8WXS3
别名	BAALC

## 产品验证



Western blot analysis of BAALC expressed in Mouse brain,Rat brain,Mouse skeletal muscle using BAALC Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time : 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)