

# MICAL1 Rabbit pAb

货号: **AYP18384**

## 产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:200 - 1:2000
理论分子量	37kDa/108kDa/117kDa/119kDa
实测分子量	132kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	A-549,HT-29,Raji
细胞定位	Cytoplasm,cytoskeleton
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 718-1067 of human MICAL1 (NP_073602.3).
序列	HRSCFRCHTCEATLWPGGYEQHPGDGHFYCLQHLPQTDHKAEGSDRGPESPELPTPSENSMPPGLSTPTASQEGAGPVP DPSQPTRRQIRLSSPERQLSSLNLTDPPEMEPPPKPPRSCSALARHALESSFVGWGLPVQSPQALVAMEKEEKESPFSSSE EEEEVDPLSDVQALQTFAKTSGTMNNYPTWRRTLRRAKEEEMKRFCKAQTIQRRLLNEIEAALRELEAEGVKLELALRRQ SSSPEQKKLWVGQLQLVDKKNLSLVAEEAELMITVQELNLEEKQWQLDQELRGYMNREENLKTAAADRQAEDQVLRKLV DLVNQRDALIRFQEERLSELALGTGAQG

## 靶点信息

研究背景	This gene encodes an enzyme that oxidizes methionine residues on actin, thereby promoting depolymerization of actin filaments. This protein interacts with and regulates signalling by NEDD9/CAS-L (neural precursor cell expressed, developmentally down-regulated 9). Alternative splicing results in multiple transcript variants.
------	---

基因ID	64780
基因名	MICAL1
Swiss	Q8TDZ2
别名	MICAL1;MICAL;MICAL-1;NICAL

## 产品验证



Western blot analysis of MICAL1 expressed in A-549, HT-29, Raji using MICAL1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)