

WDR12 Rabbit pAb

货号: **AYP18404**

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:200 - 1:2000
理论分子量	47kDa
实测分子量	50kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	A431, HeLa, Jurkat
细胞定位	Nucleus, nucleolus, nucleoplasm
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-280 of human WDR12 (NP_060726.3).
序列	MAQLQTRFYTDNKKYAVDDVPFSPAASEIADLSNIINKLLKDKNEFHKKHVEFDFLIKGQFLRMPLDKHMEMENISSEEVVEI EYVEKYTAPQPEQCMFHDDWISSIKGAEEWILTGSYDKTSRIWSLEGKSIMTIVGHTDVVKDVAWVKKDSLSCLLLSASM DQTILLWEWNVERNKVKALHCCRGHAGSVDSIAVDGSGTKFCSGSWDKMLKIWSTVPTDEEDEMEESTNRPRKKQKTE QLGLTRTPIVTLSGHMEAVSSVLWSDAEEICSAWDHTI

靶点信息

研究背景	This gene encodes a member of the WD repeat protein family. WD repeats are minimally conserved regions of approximately 40 amino acids typically bracketed by gly-his and trp-asp (GH-WD), which may facilitate formation of heterotrimeric or multiprotein complexes. Members of this family are involved in a variety of cellular processes, including cell cycle progression, signal transduction, apoptosis, and gene regulation. This protein is highly similar to the mouse WD repeat domain 12 protein at the amino acid level. The protein encoded by this gene is a component of a nucleolar protein complex that affects maturation of the large ribosomal subunit.
基因ID	55759
基因名	WDR12
Swiss	Q9GZL7
别名	WDR12;YTM1

产品验证



Western blot analysis of WDR12 expressed in A431, HeLa, Jurkat using WDR12 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn