

PHF10 Rabbit pAb

货号: **AYP18415**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:200 - 1:2000
理论分子量	51kDa/55kDa/56kDa
实测分子量	39kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	A431,LO2,Mouse pancreas,Mouse spleen
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-300 of human PHF10 (NP_060758.2).
序列	MAAAGPGAALSPRPCSDSPATPGAQSPKDDNEDNSNDGTQPSKRRRMGSGDSSRSCETSSQDLGFSYPAENLIEYK WPPDETGEYYMLQEYVSEYLGVTSFKRKYPDLERRDLSHKEKLYLRELVITETQCTLGLTALRSDEVIDLMIKEYPAKHAEY SVILQEKERQRITDHYKEYSQMQQNTQKVEASKVPEYIKAAKAAEFNSNLNRERMEERRAYFDLQTHVIQVPQGYKV LPTERTKVSSYPVALIPGQFQEYKRYSPDELRYLPLNTALYEPPLDPELALDSDGD

靶点信息

研究背景	This gene contains a predicted ORF that encodes a protein with two zinc finger domains. The function of the encoded protein is not known. Sequence analysis suggests that multiple alternatively spliced transcript variants are derived from this gene but the full-length nature of only two of them is known. These two splice variants encode different isoforms. A pseudogene for this gene is located on Xq28.
------	--

基因ID	55274
基因名	PHF10
Swiss	Q8WUB8
别名	PHF10;BAF45A;XAP135

产品验证



Western blot analysis of PHF10 expressed in Mouse pancreas, A431, LO2 using PHF10 Rabbit pAb at 1:10 00. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn