

NOL11 Rabbit pAb

货号: **AYP18452**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:200 - 1:2000
理论分子量	18kDa/81kDa
实测分子量	80-85kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	A-549,Mouse testis,Rat testis
细胞定位	Nucleus,nucleolus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 300-600 of human NOL 11 (NP_056277.2).
序列	SKELPQGTSGQLWYYGEHLFMLHGKSLTVIPYKCEVSSLAGALGKLGKHSQDPGTHVVSFVNWETPQGCGLGFQNSEQ SRRILRRRKIEVSLQPEVPPSKQLLSTIMKDSEKHIEVEVRKFLALKQTPDFHTVIGDVTGLLERCKAEPFYPNCLMQLIQ THVLSYSLCPDLMEIALKKKDVQLLQCLQFPDIPESVTCACLKIFLSIGDDSLQETDVMESVFDYSINSVHDEKMEEQT EILQNGFNPEEDKCNNCDQELNKKPQDETKESTSCPVVQKRAALLNAILHSAYSETF

靶点信息

研究背景	Ribosome biogenesis factor. May be required for both optimal rDNA transcription and small subunit (SSU pre-rRNA processing at sites A', A0, 1 and 2b.
基因ID	25926

基因名	NOL11
Swiss	Q9H8H0
别名	NOL11

产品验证



Western blot analysis of NOL11 expressed in A-549, Mouse testis, Rat testis using NOL11 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn