

— ABLYBIO, Help Your Research



TRIP4 Rabbit pAb

货号: **AYP18489**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IP
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IP: 1:50 - 1:200
理论分子量	66kDa
实测分子量	66kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	A-549,HeLa,LO2,Mouse liver,Mouse testis,Mouse brain,Rat testis,Rat brain
细胞定位	Cytoplasm,Nucleus,centrosome,cytoskeleton,cytosol,microtubule organizing center
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 282-581 of human TRIP 4 (NP_057297.2).
------	--

靶点信息

研究背景	This gene encodes a subunit of the tetrameric nuclear activating signal cointegrator 1 (ASC-1) complex, which associates with transcriptional coactivators, nuclear receptors and basal transcription factors to facilitate nuclear receptors-mediated transcription. This protein is localized in the nucleus and contains an E1A-type zinc finger domain, which mediates interaction with transcriptional coactivators and ligand-bound nuclear receptors, such as thyroid hormone receptor and retinoid X receptor alpha, but not glucocorticoid receptor. Mutations in this gene are associated with spinal muscular atrophy with congenital bone fractures-1 (SMABF1).
基因ID	9325
基因名	TRIP4
Swiss	Q15650 (https://www.uniprot.org/uniprotkb/Q15650/entry)
别名	TRIP4,ASC-1,ASC1,HsT17391,MDCDC,SMABF1,ZC2HC5,TRIP4 Rabbit pAb,Thyroid receptor-interacting protein 4,RQT4

产品验证



Western blot analysis of TRIP4 expressed in Mouse liver,Rat testis,A-549 using TRIP4 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)