

TWF1 Rabbit pAb

货号: **AYP18523**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:200 - 1:2000
理论分子量	28kDa/40kDa/41kDa
实测分子量	40kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HT-29,OVCAR3,DU145,Mouse brain,Mouse liver,Mouse kidney
细胞定位	Cytoplasm,cytoskeleton
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 101-350 of human TWF 1 (NP_002813.3).
序列	YAATRATLKKKEFGGGHIKDEVFGTVKEDVSLHGYYKLLSQSSPAPLTAEEEELRQIKINEVQTDVGVDTKHQTLQGVAFPI SREAFQALEKLNRRQLNYVQLEIDIKNEIIILANTTNTLKDLPKRIPKDSARYHFFLYKHSHEGDYLESIVFIYSMPGYTCSIRE RMLYSSCKSRLLIEVERQLQMDVIRKIEIDNGDELTAFLYEEVHPKQHAHKQSFAPKPGPAGKRGIRRLIRGPAETEATTD

靶点信息

研究背景	This gene encodes twinfilin, an actin monomer-binding protein conserved from yeast to mammals. Studies of the mouse counterpart suggest that this protein may be an actin monomer-binding protein, and its localization to cortical G-actin-rich structures may be regulated by the small GTPase RAC1.
基因ID	5756

基因名	TWF1
Swiss	Q12792
别名	TWF1;A6;PTK9

产品验证



Western blot analysis of TWF1 expressed in Mouse brain, HT-29, OVCAR3 using TWF1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn