

TCTE1 Rabbit pAb

货号: **AYP18579**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	55kDa
实测分子量	66kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	SH-SY5Y,Mouse brain,Mouse testis,Mouse liver,Rat brain,Rat testis,Rat liver
细胞定位	cytoplasm,cytoskeleton,sperm flagellum
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-300 of human TCTE1 (NP_872345.2).
序列	MQDVTTSALLDPSSHSSVSTQDNSSTGGHTSSTSPQLSKPSITPVPAKSRNPHPRANIRRMRIIAEDPEWSLAIVPLLTEL CIQHIRNFQKNPILKQMLPEHQQKVLNHLSPDLPLAVTANLIDSENYWLRCCMHRWPVCHVAHHGGSWKRMFFERHLEN LLKHFIPGTTDPVILDLLPLCRNYVRRVHVDQFLPPVQLPAQLRPGDQSDSGSEGEMEEPTVDHYQLGDLVAGLSHLEEL DLVYDVKDCGMNFEWNLFLFTYRDCLSLAAAIKACHTLKIFKLTRSKVDDDKARIII

靶点信息

研究背景	Component of the nexin-dynein regulatory complex (N-DRC a key regulator of ciliary/flagellar motility which maintains the alignment and integrity of the distal axoneme and regulates microtubule sliding in motile axonemes. May play a role in the assembly of N-DRC. May be required for sperm motility.
基因ID	202500

基因名	TCTE1
Swiss	Q5JU00
别名	TCTE1;D6S46;DRC5;FAP155

产品验证



Western blot analysis of TCTE1 expressed in Mouse brain,Rat brain,SH-SY5Y using TCTE1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn