

ABCF3 Rabbit pAb

货号: **AYP18600**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200
理论分子量	78kDa/79kDa
实测分子量	85kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Jurkat,Mouse brain,Mouse lung,Rat testis
细胞定位	
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-200 of human ABCF3 (NP_060828.2).
序列	MATCAEILRSEFPEIDGQVFDYVTGVLHSGSADFESVDDLVEAVGELLQEVSGDSKDDAGIRAVCQRMYNLRLAEPQSQ GNSQVLLDAPIQLSKITENYDCGTLKPLGLLKREQSSTVNAKKLEKAEARLKAKQEKREKDTLKTNSNPLVLEEASASQAGSR KESRLESSGKNKSYDVRIENFDVSFGDRVLLAGADVNL

靶点信息

研究背景	This gene encodes a member of the ATP-binding cassette (ABC) transporter superfamily. ATP-binding cassette proteins transport various molecules across extra- and intracellular membranes. The protein encoded by this gene displays antiviral effect against flaviviruses. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.
------	--

基因ID	55324
基因名	ABCF3
Swiss	Q9NUQ8
别名	ABCF3;EST201864

产品验证



Western blot analysis of ABCF3 expressed in Mouse brain,Rat testis,Jurkat using ABCF3 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn