

ZNF124 Rabbit pAb

货号: **AYP18636**

产品信息

反应	Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	8kDa/17kDa/33kDa/40kDa
实测分子量	50kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	mouse brain, rat brain
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 60-200 of human ZNF124 (NP_001284497.1).
序列	SIEDQYKNSRNLRHIISHSGNPNPYGCEECGKKPCTCKQCQKTSLSVTRVHRDVTMHTGNGHYGCTICEKVFNIPSSFQIHQRNHTGEKPYECMECGKALGFSLNRHKRIHTGEKRYECKQCGKAFSRSSHLRDHERTH

靶点信息

研究背景	This gene encodes a protein with an amino-terminal KRAB-A box and multiple repeated Kruppel-type (C2 H2) zinc finger motifs at its carboxy terminus. The encoded protein may function as a transcription factor. Expression of this gene is increased after vascular endothelial growth factor (VEGF) stimulation in human leukemia cell lines and results in inhibition of apoptotic cell death induced by irradiation or exposure to etoposide. Alternative splicing results in multiple transcript variants encoding distinct proteins.
基因ID	7678

基因名	ZNF124
Swiss	Q15973
别名	ZNF124;HZF-16;HZF16;ZK7

产品验证



Western blot analysis of ZNF124 expressed in mouse brain, rat brain using ZNF124 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn