

— ABLYBIO, Help Your Research



# THAP12 Rabbit pAb

货号: **AYP18649**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	56kDa/87kDa
实测分子量	52kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	SH-SY5Y,mouse brain,rat brain
细胞定位	nucleus
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-300 of human THAP12 (NP_004696.2).
------	--

## 靶点信息

研究背景	Upstream regulator of interferon-induced serine/threonine protein kinase R (PKR). May block the PKR-inhibitory function of DNAJC3, resulting in restoration of kinase activity and suppression of cell growth.
------	--

基因ID	5612
基因名	THAP12
Swiss	O43422 ( <a href="https://www.uniprot.org/uniprotkb/O43422/entry">https://www.uniprot.org/uniprotkb/O43422/entry</a> )
别名	THAP12,DAP4,P52rIPK,PRKRIR,THAP0,THAP12 Rabbit pAb,58 kDa interferon-induced protein kinase-interacting protein,Death-associated protein 4,THAP domain-containing protein 0,THAP domain-containing protein 12

## 产品验证



Western blot analysis of THAP12 expressed in SH-SY5Y, mouse brain, rat brain using THAP12 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)