

NANP Rabbit pAb

货号: **AYP18697**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	27kDa
实测分子量	23kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T,Mosue brain,Mouse kidney,Mouse spleen,Rat brain,Rat spleen
细胞定位	cytosol
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-248 of human NANP (NP_689880.1).
序列	MGLSRVRAVFFDLNLTIDTAGASRRGMLEVIKLLQSKYHYKEEAEIICDKVQVKLSKECFHPYNTCITDLRTSHWEEAIQET KGGAAANRKLAEECYFLWKSTRLQHMTLAEDVKAMLTRELKVRLLLLTNGDRQTQREKIEACACQSYFDVAVVVGGEQREE KPAPSIFYCCNLLGVQPGDCVMVGDLETDIQGGLNAGLKATVWINKNGIVPLKSSPVPHYMVSSVLELPELLQSIDCKVS MST

靶点信息

研究背景	Enables N-acylneuraminate-9-phosphatase activity. Involved in N-acetylneuraminate biosynthetic process . Predicted to be located in cytosol.
基因ID	140838

基因名	NANP
Swiss	Q8TBE9
别名	NANP;C20orf147;HDHD4;dj694B14.3

产品验证



Western blot analysis of NANP expressed in Mouse kidney,Rat brain,293T using NANP Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn