

# CBLL1 Rabbit pAb

货号: **AYP18720**

## 产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	54kDa
实测分子量	60kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse heart,Mouse brain,Mouse lung
细胞定位	Nucleus,Nucleus speckle,nucleoplasm
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-240 of human CBLL1 (NP_079090.2).
序列	MDHTDNELQGTNSSGSLGGLDVRRIPIKLISKQANKAKPAPRTQRTINRMPAKAPPGDEEGFDYNEEERYDCKGGELFANQRRFPGHLFWDFQINILGEKDDTPVHFCDKCGLPKIYGRMIPCKHVFCYDCAILHEKKGDKMCPGSDPVQRIEQCTRGSLFMCSIVQGCKRXYLSQRDLQAHINHRHMRAGKPVTRASLENVHPPIAPPTEIPERFIMPPDKHHMSHIPPKQHIMM

## 靶点信息

研究背景	This gene encodes an E3 ubiquitin-ligase for the E-cadherin complex and mediates its ubiquitination, endocytosis, and degradation in the lysosomes. The encoded protein contains a RING-finger domain and is also thought to have a role in control of cell proliferation. A related pseudogene has been identified on chromosome X. Alternative splicing results in a non-coding transcript variant.
基因ID	79872

基因名	CBLL1
Swiss	Q75N03
别名	CBLL1;HAKAI;RNF188

## 产品验证



Western blot analysis of CBLL1 expressed in Mouse heart, Mouse brain, Mouse lung using CBLL1 Rabbit p Ab at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)