

— ABLYBIO, Help Your Research



Bif-1 Rabbit pAb

货号: **AYP18741**

产品信息

反应	Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200
理论分子量	29kDa/40kDa/43kDa
实测分子量	41kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse testis,Rat testis
细胞定位	Cytoplasm,Cytoplasmic vesicle,Golgi apparatus membrane,Midbody,Mitochondrion outer membrane,Peripheral membrane protein,autophagosome membrane
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 120-365 of human Bif-1 (NP_057093.1).
------	---

靶点信息

研究背景	This gene encodes a SRC homology 3 domain-containing protein. The encoded protein interacts with the proapoptotic member of the Bcl-2 family, Bcl-2-associated X protein (Bax) and may be involved in regulating apoptotic signaling pathways. This protein may also be involved in maintaining mitochondrial morphology. Alternate splicing results in multiple transcript variants.
基因ID	51100
基因名	SH3GLB1
Swiss	Q9Y371 (https://www.uniprot.org/uniprotkb/Q9Y371/entry)
别名	SH3GLB1,Bif-1,CGI-61,PPP1R70,dj612B15.2,Bif-1 Rabbit pAb,Bax-interacting factor 1,SH3 domain-containing GRB2-like protein B1,KIAA0491

产品验证



Western blot analysis of Bif-1 expressed in Mouse testis,Rat testis using Bif-1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)