

TAL2 Rabbit pAb

货号: **AYP18798**

产品信息

反应	Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	12kDa
实测分子量	12kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	Rat spleen
细胞定位	
纯化	Affinity purification

抗原信息


抗原信息	A synthetic peptide corresponding to a sequence within amino acids 20 to the C-terminus of human TAL2 (NP_005412.1).
序列	SAFAKLRKLIPTHPDKKLSKNETLRLAMRYINFLVKVLGEQSLQQTGVAAGNILGLFPQGPHLPGLEDRTLLENYQVPSPGPSHHIP

靶点信息

研究背景	This intronless gene encodes a helix-loop-helix protein. Translocations between this gene on chromosome 9 and the T-cell receptor beta-chain locus on chromosome 7 have been associated with activation of the T-cell acute lymphocytic leukemia 2 gene and T-cell acute lymphoblastic leukemia.
基因ID	6887

基因名	TAL2
Swiss	Q16559
别名	TAL2

产品验证



Western blot analysis of TAL2 expressed in Rat spleen using TAL2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn