

SNRNP70 Rabbit pAb

货号: **AYP18801**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	19kDa/39kDa/50kDa/51kDa
实测分子量	19kDa/39kDa/50kDa/51kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HepG2,Jurkat,Mouse lung,Rat lung
细胞定位	Nucleus,Nucleus speckle,nucleoplasm
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-180 of human SNRNP 70 (NP_003080.2).
序列	MTQFLPPNLLALFAPRDPIPYLPPLEKLPHEKHNNQPYCGIAPYIREFEDPRDAPPPTRAETREERMERKRREKIERRQEVET ELKMWDPHNDPNAQGDAFKTLFVARVNYDTTESKLRREFEVYGPVKRIHVMVYSKRSKGKPRGYAFIEYEHERDMHSAYKHA DGKKIDGRRVLDVVER

靶点信息

研究背景	Component of the spliceosomal U1 snRNP, which is essential for recognition of the pre-mRNA 5' splice-site and the subsequent assembly of the spliceosome. SNRNP70 binds to the loop I region of U1-snRNA.
基因ID	6625

基因名	SNRNP70
Swiss	P08621
别名	SNRNP70;RNPU1Z;RPU1;SNRP70;Snp1;U1-70K;U170K;U1AP;U1RNP

产品验证



Western blot analysis of SNRNP70 expressed in Mouse lung,Rat lung,HepG2 using SNRNP70 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn