

RBBP6 Rabbit pAb

货号: **AYP18802**

产品信息

| | |
|-------|--|
| 反应 | Human |
| 宿主 | Rabbit |
| 克隆性 | Polyclonal |
| 预测反应 | |
| 应用 | WB |
| 推荐浓度 | WB: 1:500 - 1:1000 |
| 理论分子量 | 13kDa/106kDa/197kDa/201kDa |
| 实测分子量 | 210KDa |
| 形式 | Liquid |
| 保存条件 | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3. |
| 偶联物 | Unconjugated |
| 阳性对照 | K-562 |
| 细胞定位 | Chromosome,Cytoplasm,Nucleus,centrosome,cytoskeleton,microtubule organizing center,nucleolus |
| 纯化 | Affinity purification |

抗原信息


| | |
|------|---|
| 抗原信息 | Recombinant fusion protein containing a sequence corresponding to amino acids 1240-1355 of human RBBP6 (NP_008841.2). |
| 序列 | SKVKQEKVKGKVRRTGTGTEGSSSTLVDTSTSSSTGGSPVRKSEKTDKRTVIKTMEEYNNDNTAPAEDVIIMIQVPQSKWDKDDFESEEDVKSTQPISSVGKPAVKNVSTK |

靶点信息

| | |
|------|---|
| 研究背景 | The retinoblastoma tumor suppressor (pRB) protein binds with many other proteins. In various human cancers, pRB suppresses cellular proliferation and is inactivated. Cell cycle-dependent phosphorylation regulates the activity of pRB. This gene encodes a protein which binds to underphosphorylated but not phosphorylated pRB. Multiple alternatively spliced transcript variants that encode different isoforms have been found for this gene. |
| 基因ID | 5930 |

| | |
|-------|------------------------------------|
| 基因名 | RBBP6 |
| Swiss | Q7Z6E9 |
| 别名 | RBBP6;MY038;P2P-R;PACT;RBQ-1;SNAMA |

产品验证



Western blot analysis of RBBP6 expressed in K-562 using RBBP6 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn