

# CDSN Rabbit pAb

货号: **AYP18880**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	51kDa
实测分子量	52kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	BxPC-3,A-431,NIH/3T3,Mouse skin,Mouse skeletal muscle,Rat skin,Rat skeletal muscle
细胞定位	Secreted
纯化	Affinity purification

## 抗原信息


抗原信息	A synthetic peptide corresponding to a sequence within amino acids 100-200 of human CDSN (NP_001255.3).
序列	GGSAGSFKPGTGYSQVSYSSGSGSSLQGASGSSQLGSSSSSHSGSSGSHSGSSSSSHSSSSSFQFSSSSFQVGNNGSALPTNDNSYRGILNPSQPGQSSSSSQ

## 靶点信息

研究背景	This gene encodes a protein found in corneodesmosomes, which localize to human epidermis and other cornified squamous epithelia. The encoded protein undergoes a series of cleavages during corneocyte maturation. This gene is highly polymorphic in human populations, and variation has been associated with skin diseases such as psoriasis, hypotrichosis and peeling skin syndrome. The gene is located in the major histocompatibility complex (MHC) class I region on chromosome 6.
基因ID	1041

基因名	CDSN
Swiss	Q15517
别名	CDSN;HTSS;HTSS1;HYPT2;PSS;PSS1;S

## 产品验证



Western blot analysis of CDSN expressed in Mouse skin,Rat skin,BxPC-3 using CDSN Rabbit pAb at 1:10 00. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Bl ocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)