

— ABLYBIO, Help Your Research



CNKSR2 Rabbit pAb

货号: **AYP18891**

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	96kDa/101kDa/113kDa/117kDa
实测分子量	117kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG, Jurkat, HepG2
细胞定位	Cytoplasm, Membrane, Peripheral membrane protein
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 400-750 of human CNKSR2 (NP_055742.2).
------	--

靶点信息

研究背景	This gene encodes a multidomain protein that functions as a scaffold protein to mediate the mitogen-activated protein kinase pathways downstream from Ras. This gene product is induced by vitamin D and inhibits apoptosis in certain cancer cells. It may also play a role in ternary complex assembly of synaptic proteins at the postsynaptic membrane and coupling of signal transduction to membrane/cytoskeletal remodeling. Multiple transcript variants encoding different isoforms have been found for this gene.
基因ID	22866
基因名	CNKSR2
Swiss	Q8WXI2 (https://www.uniprot.org/uniprotkb/Q8WXI2/entry)
别名	CNKSR2,CNK2,KSR2,MAGUIN,CNKSR2 Rabbit pAb,CNK homolog protein 2,KIAA0902

产品验证



Western blot analysis of CNKSR2 expressed in U-87MG, Jurkat, HepG2 using CNKSR2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)