

ABI3BP Rabbit pAb

货号: **AYP18893**

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	53kDa/72kDa/86kDa/118kDa
实测分子量	118kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG
细胞定位	Secreted
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 29-280 of human ABI3BP (NP_056244.2).
序列	QKLPKGRPNLKVHINTSDSILLKFLRSPNVKLEGLLLGYGSNVSPNQYFPLPAEGKFTEAIVDAEPKYLVVVRPAPPPSQK KSCSGKTRSRKPLQLVVGTLTPSSVFLSWGFLINPHHDWTLP SHCPNDRFYTIRYREKDKEKKWIFQICPATETIVENLKP N TVYEFVGDVNEGGIWSKIFNHKTVVGSKKVNGKIQSTYDQDHTVPAYVPRKLIPITIIKQVIQNVTHKDSAKSPEKAPLGG VILV

靶点信息

研究背景	Predicted to enable actin filament binding activity and glycosaminoglycan binding activity. Predicted to be involved in regulation of actin cytoskeleton reorganization; regulation of dendritic spine morphogenesis; and regulation of postsynaptic density assembly. Predicted to act upstream of or within extracellular matrix organization and positive regulation of cell-substrate adhesion. Located in extracellular space. Colocalizes with collagen-containing extracellular matrix.
------	--

基因ID	25890
基因名	ABI3BP
Swiss	Q7Z7G0
别名	ABI3BP;NESHBP;TARSH

产品验证



Western blot analysis of ABI3BP expressed in U-87MG using ABI3BP Rabbit pAb at 1:1000. Secondary anti body: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% no n-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn