

# UIMC1 Rabbit pAb

货号: **AYP18925**

## 产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	17kDa/38kDa/61kDa/70kDa/79kDa
实测分子量	102kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	DU145,293T,HeLa,Mouse thymus
细胞定位	Nucleus
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 449-719 of human UIMC 1 (NP_057374.3).
序列	QLSSSEFDLEREVSPGSRDILDGVRIIMADKEVGNKEDAEKEVAISTFSSSNQVSCPLCDQCFPPTKIERHAMYCNGLMEE DTVLTRRQKEAKTKSDSGTAAQTSLDIDKNEKCYLCKSLVPFREYQCHVDSCQLAKADQGDGPEGSGRACSTVEGKW QQRLKNPKEKGHSEGRLLSFLEQSEHKTSADADIKSSETGAFRVSPGMEEAGCSREMQSSFTRRDLNESPVKSFVSISEA TDCLVDFKKQVTVQPGSRTRTKAGRRRRK

## 靶点信息

研究背景	This gene encodes a nuclear protein that interacts with Brca1 (breast cancer 1) in a complex to recognize and repair DNA lesions. This protein binds ubiquitinated lysine 63 of histone H2A and H2AX. This protein may also function as a repressor of transcription. Alternative splicing results in multiple transcript variant S.
------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

基因ID	51720
基因名	UIMC1
Swiss	Q96RL1
别名	UIMC1;RAP80;X2HRIP110

## 产品验证



Western blot analysis of UIMC1 expressed in Mouse thymus, DU145, 293T using UIMC1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)