

TIPARP Rabbit pAb

货号: **AYP18992**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	76kDa
实测分子量	76kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,Mouse eye,Mouse brain
细胞定位	nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-320 of human TIPARP (NP_056323.2).
序列	MEMETTEPEPDCVVQPPSPDDFSCQMRLSEKITPLKTCFKKKDQKRLGTGLRSLRPILNTLLESGSLDGVFRSRNQSTD ENSLHEPMMKKAMEINSSCPAENNMVSLIPDRTNVGDQIPEAHPSTEAPERVVPIQDHSFPSETLSGTVADSTPAHFQTD LLHPVSSDVPTSPDCLDKVIDYVPGIFQENSFTIQYILDTSDKLSTELFQDKSEEASLDLVFELVNLQYHHTQENGIEICMD FLQGTCIYGRDCLKHHTVLPYHWQIKRTTTTQKWQSVFNDSQEHLERFYCNPENDRMRMKYGGQEFWADLNAMNVY

靶点信息

研究背景	This gene encodes a member of the poly(ADP-ribose) polymerase superfamily. Studies of the mouse ortholog have shown that the encoded protein catalyzes histone poly(ADP-ribosyl)ation and may be involved in T-cell function. Alternative splicing results in multiple transcript variants.
基因ID	25976

基因名	TIPARP
Swiss	Q7Z3E1
别名	TIPARP;ARTD14;PARP7;pART14

产品验证



Western blot analysis of TIPARP expressed in U-87MG, Mouse eye, Mouse brain using TIPARP Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn