

# PARP12 Rabbit pAb

货号: AYP18997

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	79kDa
实测分子量	79kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HT-29,HeLa,Mouse brain,Mouse liver,Mouse pancreas,Rat brain
细胞定位	Nucleus
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 462-701 of human PARP 12 (NP_073587.1).
序列	YVSPQDVTTMQTCNTKFPKPSIPDYWDSSALPDPGFQKITLSSSSEYQKVVNLFNRTLPPFYFVQKIERVQNLALWEVY QWQKGMQKQNGGKAVDERQLFHGTS AIFVDAICQQNFDWRVCGVHGTSYGGKGSYFARDAAYSHHYSKSDTQHTM FLARVLVGEFVRGNASFVRPPAKEGWSNAFYDSCVNSVSDPSIFVIFEKHQVYPEYVIQYTTSSKPSVTPSILLALGSLFSSR Q

## 靶点信息

研究背景	Mono-ADP-ribosyltransferase that mediates mono-ADP-ribosylation of target proteins.
基因ID	64761
基因名	PARP12

Swiss	Q9H0J9
别名	PARP12;ARTD12;MST109;MSTP109;ZC3H1;ZC3HDC1

## 产品验证



Western blot analysis of PARP12 expressed in Mouse brain,Rat brain,HT-29 using PARP12 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)