

— ABLYBIO, Help Your Research



IGSF8 Rabbit pAb

货号: **AYP19007**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	40kDa/55kDa/65kDa
实测分子量	65kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Raji
细胞定位	Cell membrane,Single-pass membrane protein
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 28-350 of human IGSF8 (NP_443100.1).
------	--

靶点信息

研究背景	This gene encodes a member the EWI subfamily of the immunoglobulin protein superfamily. Members of this family contain a single transmembrane domain, an EWI (Glu-Trp-Ile)-motif and a variable number of immunoglobulin domains. This protein interacts with the tetraspanins CD81 and CD9 and may regulate their role in certain cellular functions including cell migration and viral infection. The encoded protein may also function as a tumor suppressor by inhibiting the proliferation of certain cancers. Alternate splicing results in multiple transcript variants that encode the same protein.
基因ID	93185
基因名	IGSF8
Swiss	Q969P0 (https://www.uniprot.org/uniprotkb/Q969P0/entry)
别名	IGSF8,CD316,CD81P3,EWI-2,EWI2,KCT-4,LIR-D1,PGRL,IGSF8 Rabbit pAb,CD81 partner 3,Glu-Trp-Ile EWI motif-containing protein 2,Keratinocytes-associated transmembrane protein 4,Prostaglandin regulatory-like protein,KCT4

产品验证



Western blot analysis of IGSF8 expressed in Raji using IGSF8 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)