

DLL1 Rabbit pAb

货号: **AYP19014**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200
理论分子量	27kDa/78kDa
实测分子量	78kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,A-549,Mouse brain,Mouse pancreas,Rat brain
细胞定位	Apical cell membrane,Cell junction,Membrane raft,Single-pass type I membrane protein,adherens junction
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 573-723 of human DLL1 (NP_005609.3).
序列	LQKHRPPADPCRGETETMNNLANCQREKDISVSIIGATQIKNTNKKADFHGDHSADKNGFKARYPAVDYINLVQDLKGDD TAVRDAHSKRDTKCQPQGSSGEEKGPTTLRGGEASERKRPDSGCSTSKDTKYQSVYVISEEKDECVIATEV

靶点信息

研究背景	DLL1 is a human homolog of the Notch Delta ligand and is a member of the delta/serrate/jagged family. It plays a role in mediating cell fate decisions during hematopoiesis. It may play a role in cell-to-cell communication.
基因ID	28514

基因名	DLL1
Swiss	O00548
别名	DLL1;DELTA1;DL1;Delta

产品验证



Western blot analysis of DLL1 expressed in Mouse brain,Rat brain,U-87MG using DLL1 Rabbit pAb at 1:1 000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. B locking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn