

# DYNC1LI2 Rabbit pAb

货号: **AYP19067**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	<b>WB:</b> 1:500 - 1:1000 <b>IHC:</b> 1:50 - 1:200
理论分子量	54kDa
实测分子量	54KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse testis,Mouse brain,Rat lung,Rat brain
细胞定位	centrosome,cytosol,late endosome,lysosome
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 328-492 of human DYN C1LI2 (NP_006132.1).
序列	TTVKPEDAYEDFIVKPPVRKLVHDKELAAEDEVFLMKQQLLAKQPATPTRASESPARGPSGSPRTQGRGGPASPSSS PGTSVKKPDPNIKNNAASEGVLASFFNSLLSKKTGSPGSPGAGGVQSTAKKSGQKTVLSNVQEELDRMTRKPDMSMVTNS STENEA

## 靶点信息

研究背景	Cytoplasmic dynein is a microtubule-associated motor protein (Hughes et al., 1995 [PubMed 7738094]). See DYNC1H1 (MIM 600112) for general information about dyneins.
基因ID	1783

基因名	DYNC1LI2
Swiss	O43237
别名	LIC2; DNCLI2

## 产品验证



Western blot analysis of DYNC1LI2 expressed in Mouse testis,Rat lung,Mouse brain using DYNC1LI2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)