

# MTTP Rabbit pAb

货号: **AYP19095**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	<b>WB:</b> 1:500 - 1:1000 <b>IHC:</b> 1:100 - 1:200
理论分子量	16kDa/99kDa
实测分子量	100kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse small intestine,Rat small intestine
细胞定位	Endoplasmic reticulum
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-130 of human MTTP ( NP_000244.2).
序列	MILLAVLFLCFISSYSASVKGHTTGLSLNNDRLYKLYSTEVLDRGKGLQDSVGYRISSNVDVALLWRNPDGDDDDQLIQI TMKDVNVENVNQQRGEKSIFKGGKSPSKIMGKENLEALQRPTLLHLIHG

## 靶点信息

研究背景	MTP encodes the large subunit of the heterodimeric microsomal triglyceride transfer protein. Protein disulfide isomerase (PDI) completes the heterodimeric microsomal triglyceride transfer protein, which has been shown to play a central role in lipoprotein assembly. Mutations in MTP can cause abetalipoproteinemia.
基因ID	4547

基因名	MTTP
Swiss	P55157
别名	MTTP;ABL;MTP

## 产品验证



Western blot analysis of MTTP expressed in Mouse small intestine,Rat small intestine using MTTP Rabbit p Ab at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)