

EDC3 Rabbit pAb

货号: **AYP19198**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	56kDa
实测分子量	56kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,MCF7,HeLa,Mouse pancreas
细胞定位	Cytoplasm,P-body
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 159-508 of human EDC 3 (NP_079359.2).
序列	HNSWSSSRHPNQATPKKSGLKNGQMKNKDDECFGDDIEEIPDTHDFDFEGNLALFDKAAVFEEIDTYERRSGTRSRGIPN ERPTRYRHDENILESEPIVYRRIIVPHNVSKEFCTDSGLVVPISYELHKKLLSVAEKHGLTLERRLEMTGVCASQMALLTLLGG PNRLNPKNVHQRPTVALLCGPHVKGAAQGISGRHLANHDVQVILFLPNFVKMLESITNELSLFSKTQGGQQVSSLKDLPTSP VDLVINCLDCPENVFLRDQPWYKAAVAWANQNRAPVLSIDPPVHEVEQGIDAKWLSLALGLPLPLGEHAGRIYLCDIGIPQQ VFQEVGINYHSPFGCKFVIPLHSA

靶点信息

研究背景	EDC3 is associated with an mRNA-decapping complex required for removal of the 5-prime cap from mRNA prior to its degradation from the 5-prime end (Fenger-Gron et al., 2005 [PubMed 16364915]).[supplied by OMIM, Mar 2008]
------	---

基因ID	80153
基因名	EDC3
Swiss	Q96F86
别名	EDC3;LSM16;MRT50;YJDC;YJEFN2

产品验证



Western blot analysis of EDC3 expressed in Mouse pancreas,U-87MG,MCF7 using EDC3 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn