

— ABLYBIO, Help Your Research



SARNP Rabbit pAb

货号: **AYP19225**

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	23kDa
实测分子量	29kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T,HepG2,BxPC-3,U-87MG,MCF7
细胞定位	Nucleus,Nucleus speckle
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-210 of human SARNP (NP_149073.1).
------	---

靶点信息

研究背景	This gene encodes a protein that is upregulated in response to various cytokines. The encoded protein may play a role in cell cycle progression. A translocation between this gene and the myeloid/lymphoid leukemia gene, resulting in expression of a chimeric protein, has been associated with acute myelomonocytic leukemia. Pseudogenes exist on chromosomes 7 and 8. Alternatively spliced transcript variants have been described.
基因ID	84324
基因名	SARNP
Swiss	P82979 (https://www.uniprot.org/uniprotkb/P82979/entry)
别名	SARNP,CIP29,HCC1,HSPC316,THO1,SARNP Rabbit pAb,Cytokine-induced protein of 29 kDa,Nuclear protein Hcc-1,Proliferation-associated cytokine-inducible protein CIP29

产品验证



Western blot analysis of SARNP expressed in 293T, HepG2, BxPC-3 using SARNP Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)