

— ABLYBIO, Help Your Research



NR5A2 Rabbit pAb

货号: **AYP19233**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:1000 - 1:5000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	42kDa/53kDa/56kDa/61kDa
实测分子量	61KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	BxPC-3,Mouse brain
细胞定位	Nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 300-541 of human NR5A2 (NP_995582.1).
------	---

靶点信息

研究背景	The protein encoded by this gene is a DNA-binding zinc finger transcription factor and is a member of the fushi tarazu factor-1 subfamily of orphan nuclear receptors. The encoded protein is involved in the expression of genes for hepatitis B virus and cholesterol biosynthesis, and may be an important regulator of embryonic development.
基因ID	2494
基因名	NR5A2
Swiss	O00482 (https://www.uniprot.org/uniprotkb/O00482/entry)
别名	NR5A2,B1F,B1F2,CPF,FTF,FTZ-F1,FTZ-F1beta,LRH-1,LRH1,hB1F-2,NR5A2 Rabbit pAb,Alpha-1-fetoprotein transcription factor,B1-binding factor,CYP7A promoter-binding factor,Hepatocytic transcription factor,Liver receptor homolog 1

产品验证



Western blot analysis of NR5A2 expressed in BxPC-3, Mouse brain using NR5A2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)