

— ABLYBIO, Help Your Research



TWF2 Rabbit pAb

货号: **AYP19253**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IP
推荐浓度	WB: 1:500 - 1:1000 IHC: 1:50 - 1:200 IP: 1:20 - 1:50
理论分子量	39kDa
实测分子量	40KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HepG2,Mouse thymus,Rat skeletal muscle
细胞定位	Cell projection,Cytoplasm,cytoskeleton,perinuclear region,steriocilium
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-369 of human TWF2 (NP_009215.1).
------	--

靶点信息

研究背景	The protein encoded by this gene was identified by its interaction with the catalytic domain of protein kinase C-zeta. The encoded protein contains an actin-binding site and an ATP-binding site. It is most closely related to twinfilin (PTK9), a conserved actin monomer-binding protein.
基因ID	11344
基因名	TWF2
Swiss	Q6IBS0 (https://www.uniprot.org/uniprotkb/Q6IBS0/entry)
别名	TWF2,A6RP,A6r,MSTP011,PTK9L,TWF2 Rabbit pAb,A6-related protein,Protein tyrosine kinase 9-like,Twinfilin-1-like protein

产品验证



Western blot analysis of TWF2 expressed in HepG2, Mouse thymus, Rat skeletal muscle using TWF2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)