

# SLC34A1 Rabbit pAb

货号: **AYP19258**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	36kDa/68kDa
实测分子量	72kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T,A-549,U-87MG,Mouse kidney,Rat lung
细胞定位	Membrane,Multi-pass membrane protein
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 186-374 of human SLC34A1 (Q06495).
序列	PIIMGSNIGTSVTNTIVALMQAGDRDTDFRRAFAGATVHDCFNWLSVLLVLLPLEAATGYLHHITRLVVASFNIHGGRDAPDLLKIITEPFTKLIQLDESIVTSIATGDESLRNHSLIQIWCHPDSLQAPTSMSRAEANSQTLGNATMEKCNHIFVDTGLPDLAVGLLILLAGSLVLLCTCLILLVKMLN

## 靶点信息

研究背景	This gene encodes a member of the type II sodium-phosphate cotransporter family. Mutations in this gene are associated with hypophosphatemia nephrolithiasis/osteoporosis 1. Alternative splicing results in multiple transcript variants.
基因ID	6569

基因名	SLC34A1
Swiss	Q06495
别名	SLC34A1;FRTS2;HCINF2;NAPI-3;NPHLOP1;NPT2;NPTIIa;SLC11;SLC17A2

## 产品验证



Western blot analysis of SLC34A1 expressed in Mouse kidney,Rat lung,293T using SLC34A1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)