

CHD2 Rabbit pAb

货号: **AYP19312**

产品信息

| | |
|-------|--|
| 反应 | Rat |
| 宿主 | Rabbit |
| 克隆性 | Polyclonal |
| 预测反应 | |
| 应用 | WB |
| 推荐浓度 | WB: 1:500 - 1:2000 |
| 理论分子量 | 56kDa/200kDa/211kDa |
| 实测分子量 | 275kDa |
| 形式 | Liquid |
| 保存条件 | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3. |
| 偶联物 | Unconjugated |
| 阳性对照 | Rat brain |
| 细胞定位 | Nucleus |
| 纯化 | Affinity purification |

抗原信息


| | |
|------|---|
| 抗原信息 | A synthetic peptide corresponding to a sequence within amino acids 1700 to the C-terminus of human CHD2 (NP_001262.3). |
| 序列 | YDQYSSDRDRHGRDYYDRHHHDSKRRRSDEFRPQNYHQDFRRMSDHRPAMGYHGQGPSDHYSFHTDKLGEYK QPLPPLHPAVSDPRSPPSQKSPHDSKSPLDHRSPLERSLEQKNPDYNNVVRKT |

靶点信息

| | |
|------|--|
| 研究背景 | The CHD family of proteins is characterized by the presence of chromo (chromatin organization modifier) domains and SNF2-related helicase/ATPase domains. CHD genes alter gene expression possibly by modification of chromatin structure thus altering access of the transcriptional apparatus to its chromosomal DNA template. Alternatively spliced transcript variants encoding distinct isoforms have been found for this gene. |
| 基因ID | 1106 |

| | |
|-------|-----------|
| 基因名 | CHD2 |
| Swiss | O14647 |
| 别名 | CHD2;EEOC |

产品验证



Western blot analysis of CHD2 expressed in Rat brain using CHD2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn