

— ABLYBIO, Help Your Research



# TTC5 Rabbit pAb

货号: **AYP19392**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	48kDa
实测分子量	49kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	A-431,MCF7,Mouse spleen,Mouse testis,Mouse thymus,Rat brain
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-300 of human TTC5 (N P_612385.2).
------	---

## 靶点信息

研究背景	Adapter protein involved in p53/TP53 response that acts by regulating and mediating the assembly of multi-protein complexes. Required to facilitate the interaction between JMY and p300/EP300 and increase p53/TP53-dependent transcription and apoptosis. Prevents p53/TP53 degradation by MDM2 (By similarity).
基因ID	91875
基因名	TTC5
Swiss	Q8N0Z6 ( <a href="https://www.uniprot.org/uniprotkb/Q8N0Z6/entry">https://www.uniprot.org/uniprotkb/Q8N0Z6/entry</a> )
别名	TTC5,Strap,TTC5 Rabbit pAb,Stress-responsive activator of p300

## 产品验证



Western blot analysis of TTC5 expressed in Mouse spleen,Rat brain,A-431 using TTC5 Rabbit pAb at 1:100. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)