

PIWIL3 Rabbit pAb

货号: **AYP19424**

产品信息

反应	Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	101kDa
实测分子量	101kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse testis,Rat testis
细胞定位	Cytoplasm
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 40-320 of human PIWIL3 (NP_001242904.1).
序列	QLQSTPRPLQEEVPVVRPLQPRAARGGAGGGAQSQGVKEPGPEAGLHTAPLQERRIGGVFQDLVVNTRQDMKHKVSKDSTGSEGTVVQLLANHFRVISRPQWVAYKYNVVDYKPDIEDGNLRTILLDQHRRKFGGERHIFDGNSSLLSRPLKERRVEWLSTTKDKNIVKITVEFSKELTPTSPDCLRYNILFRRTFKLLDFEQVGRNYTYKKKAIQLYRHGTSLEIWLGYVTSVLQYENSITLCADVSHKLLRIETAYDFIKRTSAQAQTGNIREEVTKLIG

靶点信息

研究背景	This gene encodes a member of the PIWI subfamily of Argonaute family proteins. This subfamily of proteins contains a PAZ domain, found in proteins involved in RNA-mediated gene silencing, and a C-terminal Piwi domain. The encoded protein is thought to function in maintenance of germline cells. Multiple transcript variants encoding different isoforms have been found for this gene.
------	--

基因ID	440822
基因名	PIWIL3
Swiss	Q7Z3Z3
别名	PIWIL3;HIWI3

产品验证



Western blot analysis of PIWIL3 expressed in Mouse testis,Rat testis using PIWIL3 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn