

— ABLYBIO, Help Your Research



# ZC3H7A Rabbit pAb

货号: **AYP19433**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IF/ICC:</b> 1:50 - 1:200
理论分子量	19kDa/110kDa
实测分子量	120kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	LO2,HeLa,A-375,K-562
细胞定位	Nucleus
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-220 of human ZC3H7 A (NP_054872.2).
------	---

## 靶点信息

研究背景	May be a specific regulator of miRNA biogenesis. Binds to microRNAs MIR7-1, MIR16-2 and MIR29A hairpins recognizing the 3'-ATA(A/T)-5' motif in the apical loop.
基因ID	29066
基因名	ZC3H7A
Swiss	Q8IWR0 ( <a href="https://www.uniprot.org/uniprotkb/Q8IWR0/entry">https://www.uniprot.org/uniprotkb/Q8IWR0/entry</a> )
别名	ZC3H7A,HSPC055,ZC3H7,ZC3HDC7,ZC3H7A Rabbit pAb

## 产品验证



Western blot analysis of ZC3H7A expressed in LO2, HeLa, A-375 using ZC3H7A Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/>[www.ablybio.cn](http://www.ablybio.cn))