

TONSL Rabbit pAb

货号: **AYP19503**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:100 - 1:200
理论分子量	150kDa
实测分子量	151kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,Rat spleen,Mouse brain
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 160-390 of human TONSL (NP_038460.4).
序列	MRTRLYLNLGLTFESLQQTALCNDYFRKSIFLAEQNHLYEDLFRARYNLGTIHWRAQHSQAMRCLEGARECAHTMRKRF MESECCVIAQVLQDLGDFLAAKRALKKAYRLGSQKPVQRAAICQNLQHVLA VVRLQQQL EEAEGRDPQGAMVICEQLG DLFSKAGDFPRAAEAYQKQLRFAELLDRPGAERAIHVSLATTLGDMKDHHGAVRHYYEELRLRSGNVLEEA

靶点信息

研究背景	The protein encoded by this gene is thought to be a negative regulator of NF-kappa-B mediated transcription. The encoded protein may bind NF-kappa-B complexes and trap them in the cytoplasm, preventing them from entering the nucleus and interacting with the DNA. Phosphorylation of this protein targets it for degradation by the ubiquitination pathway, which frees the NF-kappa-B complexes to enter the nucleus.
------	---

基因ID	4796
基因名	TONSL
Swiss	Q96HA7
别名	TONSL;IKBR;NFKBIL2

产品验证



Western blot analysis of TONSL expressed in HeLa,Rat spleen,Mouse brain using TONSL Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane . Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn