

ZMYM3 Rabbit pAb

货号: **AYP19516**

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200
理论分子量	52kDa/151kDa/152kDa
实测分子量	152kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 140-300 of human ZMY M3 (NP_001164634.1).
序列	LLEPLAPDSPITLQSPHIEEEETTSIATARRGSPGQEEELPQGQPQSPNAPPSVGETLGDGINSSQTKPGGSSPPAHPSLP GDGLTAKASEKPPERKRSEVRRRAEPPKPEVVDSTESIPVSEDESDAMVDDPNDEDFVFPFRPRRSPRMSLRSSVSQRA

靶点信息

研究背景	This gene is located on the X chromosome and is subject to X inactivation. It is highly conserved in vertebrates and most abundantly expressed in the brain. The encoded protein is a component of histone deacetylase-containing multiprotein complexes that function through modifying chromatin structure to keep genes silent. A chromosomal translocation (X;13) involving this gene is associated with X-linked mental retardation. Several alternatively spliced transcript variants have been found for this gene.
------	--

基因ID	9203
基因名	ZMYM3
Swiss	Q14202
别名	ZMYM3;DXS6673E;MYM;XFIM;ZNF198L2;ZNF261

产品验证



Western blot analysis of ZMYM3 expressed in HeLa using ZMYM3 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn