

# ATP6V1D Rabbit pAb

货号: **AYP19534**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IHC:</b> 1:50 - 1:100
理论分子量	28kDa
实测分子量	35kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,293T,HeLa,Mouse lung,Mouse brain
细胞定位	Cytoplasmic side,Membrane,Peripheral membrane protein
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-247 of human ATP6V1 D (NP_057078.1).
序列	MSGKDRIEIFSRMAQTIMKARLKGATGRNLLKKKSDALTLRFRQILKKIETKMLMGEVMREAAAFSLAEAKFTAGDFSTT VIQNVNKAQVKIRAKKDNVAGVTLVPFEHYHEGTDSELTGLARGGEQLAKLKRNYAKAVELLVELASLQTSFVTLDEAIKIT NRRVNAIEHVIIIPRIERTLAYIITELDEREREFEFYRLKKIQEKKKILKEKSEKDLEQRRRAAGEVLEPANLLAEKDEDLLFE

## 靶点信息

研究背景	This gene encodes a component of vacuolar ATPase (V-ATPase), a multisubunit enzyme that mediates acidification of eukaryotic intracellular organelles. V-ATPase dependent organelle acidification is necessary for such intracellular processes as protein sorting, zymogen activation, receptor-mediated endocytosis, and synaptic vesicle proton gradient generation. V-ATPase is composed of a cytosolic V1 domain and a transmembrane V0 domain. The V1 domain consists of three A and three B subunits, two G subunits plus the C, D, E, F, and H subunits. The V1 domain contains the ATP catalytic site. The V0 domain consists of five different subunits: a, c, c', c', and d. Additional isoforms of many of the V1 and V0 subunit proteins are encoded by multiple genes or alternatively spliced transcript variants. This gene encodes the V1 domain D subunit protein.
基因ID	51382
基因名	ATP6V1D
Swiss	Q9Y5K8
别名	ATP6V1D;ATP6M;VATD;VMA8

## 产品验证



Western blot analysis of ATP6V1D expressed in Mouse lung, U-87MG, 293T using ATP6V1D Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)