

# ADPRM Rabbit pAb

货号: **AYP19554**

## 产品信息

反应	Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	24kDa/39kDa
实测分子量	39kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse lung,Mouse spleen,Rat brain,Rat lung
细胞定位	cytosol
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 203-342 of human ADPRM (NP_064618.3).
序列	SEPQFVQFNGGFSQEQLNWLNEVLTFSDTNQEKVVIVSHLPIYPDASDNVCLAWNYRDALAVIWSHECVVCFAGHTHDGGYSEDPFGVYHVNLEGVETAPDSQAFGTVHVYPDKMMLKGRGRVPDRIMNYKKERAFHC

## 靶点信息

研究背景	Hydrolyzes ADP-ribose, IDP-ribose, CDP-glycerol, CDP-choline and CDP-ethanolamine, but not other non-reducing ADP-sugars or CDP-glucose. May be involved in immune cell signaling as suggested by the second-messenger role of ADP-ribose, which activates TRPM2 as a mediator of oxidative/nitrosative stress (By similarity).
基因ID	56985

基因名	ADPRM
Swiss	Q3LIE5
别名	ADPRM;C17orf48;MDS006;NBLA03831

## 产品验证



Western blot analysis of ADPRM expressed in Mouse lung,Rat brain,Mouse spleen using ADPRM Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 12 0s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)