

CoREST/RCOR1 Rabbit pAb

货号: **AYP19573**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC IP ChIP
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:200 IP: 1:500 - 1:1000 ChIP: 1:500 - 1:1000
理论分子量	53kDa
实测分子量	60kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,Jurkat,Mouse testis,Mouse brain
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 256-485 of human CoREST/CoREST/RCOR1 (NP_055971.2).
序列	ERESEDELEEANGNNPIDIEVDQNKESKKEVPPTETVPQVKKEKHSTQAKNRAKRKPPKGMFLSQEDVEAVSANATAATT VLRQLDMELVSVKRQIQNIKQTNSALKEKLDGGIEPYRLPEVIQKCNARWTTTEEQLLAVQAIRKYGRDFQAIISDVIGNKSVV QVKNFFVNYRRRFNIDEVLQEWEAEHGKEETNGPSNQKPKVSPDNSIKMPEEEDEAPVLDVRYASAS

靶点信息

研究背景	This gene encodes a protein that is well-conserved, downregulated at birth, and with a specific role in determining neural cell differentiation. The encoded protein binds to the C-terminal domain of REST (repress or element-1 silencing transcription factor).
------	--

基因ID	23186
基因名	RCOR1
Swiss	Q9UKL0
别名	RCOR1;COREST;RCOR

产品验证



Western blot analysis of CoREST/RCOR1 expressed in Mouse testis, HeLa, Jurkat using CoREST/RCOR1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn