

— ABLYBIO, Help Your Research



SLC19A1 Rabbit pAb

货号: **AYP19584**

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:1000
理论分子量	54kDa/60kDa/64kDa
实测分子量	65kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	HeLa, U-87MG
细胞定位	Membrane, Multi-pass membrane protein
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 452-591 of human SLC19A1 (NP_919231.1).
------	---

靶点信息

研究背景	The membrane protein encoded by this gene is a transporter of folate and is involved in the regulation of intracellular concentrations of folate. Three transcript variants encoding different isoforms have been found for this gene.
基因ID	6573
基因名	SLC19A1
Swiss	P41440 (https://www.uniprot.org/uniprotkb/P41440/entry)
别名	SLC19A1,CHMD,FOLT,IFC1,REFC,RFC1,SLC19A1 Rabbit pAb,Cyclic dinucleotide:anion antiporter SLC19A1,Folate:anion antiporter SLC19A1,Intestinal folate carrier 1,Placental folate transporter,Reduced folate carrier protein,Reduced folate transporter 1,Solute carrier family 19 member 1

产品验证



Western blot analysis of SLC19A1 expressed in HeLa, U-87MG using SLC19A1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)