

LIFR Rabbit pAb

货号: **AYP19602**

产品信息

反应	Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	123kDa
实测分子量	190kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse skeletal muscle
细胞定位	Cell membrane,Secreted,Single-pass type I membrane protein
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 500-700 of human LIFR (NP_002301.1).
序列	NPYTLYTFRIRCSTETFWKWSKWSNKKQHLTTEASPSKGPDTWREWSSDGKNLIYWKPLPINEANGKILSYNVSCSSDEE TQSLSEIPDPQHKAEIRLDKNDYIISVVAKNKNSVGSPPSKIASMEIPNDLTKIEQVVGMGKILLTWHYDPNMTCDYVIKWC NSSRSEPCLMDWRKVPSNSTETVIESDEFRPGIRYNFF

靶点信息

研究背景	This gene encodes a protein that belongs to the type I cytokine receptor family. This protein combines with a high-affinity receptor subunit, gp130, to form a receptor complex that mediates the action of the leukemia inhibitory factor, a polyfunctional cytokine that is involved in cellular differentiation, proliferation and survival in the adult and the embryo. Mutations in this gene cause Schwartz-Jampel syndrome type 2, a disease belonging to the group of the bent-bone dysplasias. A translocation that involves the promoter of this gene, t(5;8)(p13;q12) with the pleiomorphic adenoma gene 1, is associated with salivary gland pleiomorphic adenoma, a common type of benign epithelial tumor of the salivary gland. Multiple splice variants encoding the same protein have been found for this gene.
基因ID	3977
基因名	LIFR
Swiss	P42702
别名	LIFR;CD118;LIF-R;SJS2;STWS;SWS

产品验证



Western blot analysis of LIFR expressed in Mouse skeletal muscle using LIFR Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn